TOSO


Selfie




- Designed to enable easy bending into a curve.
- Ready to be bent into L-shaped, S-shaped,
 U-shaped and other shaped curves.
- Special bender enables bending by hand at the installation site.

Exceptionally easy installation.

- The rail is vertically symmetrical and not direction-sensitive, resulting in easier, more efficient installation.
- The horizontally symmetrical I-shaped design makes the bend easy to undo.



Curving flexibility.




Materials and Finishes

Parts		Material	Finish	
Rail		Aluminum alloy extrusion material	Alumite, Alumite umber Alumite white	
Roller Plate		Hard polyethylene		
Wheel Oval ring		Acetal resin		
		Stainless steel		

Parts		Material	Finish
End Cap	Plate	Hard polyethylene	
	Stop plate	Steel	
	Oval ring	Stainless steel	
Bracket	Body	Steel	
	Snap board	Steel	

Bracket Installation Interval and Allowable Curtain Load




Installation Dimensions

Ceiling Attachment -

Easy Snap Ceiling Single Bracket


Bracket width = 18 mm (.71")



Wall Attachment -


Single Bracket

Bracket width = 18 mm (.71")



Double Bracket

Bracket width = 18 mm (.71")



Selfie Rails


Warm white




Size	Product Code	
Size	Warm white	
1.82 m (72")	02330030	
2.00 m (79")	02330031	
3.00 m (118")	02330033	
3.64 m (143")	02330034	
4.00 m (157")	02330035	



Basic Installation Curving Method



1. At the rail bending point, align the 0° point of the bender with the end of the clamp and secure.



2. Hold the bender and the rail and gradually bend the rail to the graduation mark of the desired angle.



Selfie Parts

Product Name			Product Code
Rollers	Roller (8 pieces per strip)	Natural	60610199NA02
	MG Carrier	Natural	60610199NA07
Brackets	Single Bracket	Silver	02330111
	Double Bracket	Silver	02330112

	Product Name	Product Code	
Brackets	Ceiling Single Bracket	Silver	02330114
End Cap	End Cap	Natural	02330110
Other Parts	Joint Pin		02330027
Oth	Curve Bender 55R		02330028